

An Improved Separation of Regular Resolution from Pool Resolution and Clause Learning

Maria Luisa Bonet and Sam Buss

Theory and Applications of Satisfiability Testing — SAT 2012
Trento, Italy
July 17, 2012

SAT algorithms

SAT algorithms - Remarkably successful

- ▶ Routinely solve industrial instances with $\geq 100,000$'s of variables.
- ▶ Mostly based on depth-first search. (DPLL)
- ▶ Use a suite of methods to speed search: clause learning, fast backtracking, restarts, implementation tuning.
- ▶ Find satisfying assignment or generate a resolution refutation.
- ▶ Algorithms lift to a useful fragments of first-order logic. (SMT solvers.)

Open Questions:

What is the logical complexity of SAT algorithms in terms of proof systems?

Question:

Does DPLL with clause learning, but no restarts, polynomially simulate resolution proofs?

Goal:

Prove the simulation, or find separating examples.

Clause learning is the main heuristic that has a logical justification.

Fundamental idea: Set a trial (partial) satisfying assignment. When blocked, use this “counter-example” to learn a new clause. The new clause helps avoid repeatedly searching the same part of the solution space.

GRASP: Marques-Silva & Sakallah [1999].

Several heuristics are used to decide which clauses to learn, e.g., First-UIP. These are all encompassed by “input resolution”, aka “trivial resolution”. (Beame-Kautz-Sabarwal [2004].)

- ▶ *Input resolution* corresponds to contradictions that can be discovered by *unit propagation*.
- ▶ Easy to decide if a given clause can be derived by input resolution.

Relationship to resolution?

[Folklore?] Resolution simulates all current DPLL-based algorithms, including with clause learning, restarts, and pure literal selection.

DPLL with clause learning and restarts:

Theorem [BKS 2004] Non-greedy DPLL with clause learning and restarts simulates full resolution.

Proof idea: Simulate a resolution refutation, using a new restart for each clause in the refutation. Ignore contradictions (hence: non-greedy) until able to learn the desired clause. □

Theorem [Pipatsrisawat-Darwiche, 2010] (Greedy) DPLL with clause learning and (many!) restarts simulates full resolution.

[Atserias, Fichte, Thurley '11] - related results for bounded width.

DPLL and clause learning *without* restarts

[BKS '04; H-B-P-vG '08; B-H-J '08] It is possible to add new variables and clauses *that preserve (un)satisfiability*, so that DPLL with clause learning can refute the augmented set of clauses if and only if resolution can refute the original set of clauses.

In this way, DPLL with clause learning can “effectively p-simulate” resolution.

These new variables and clauses are *proof trace extensions* or *variable extensions*.

Drawback:

- ▶ The variable extensions yields contrived sets of clauses, and the resulting DPLL executions are unnatural.

Def'n. A proof (or a depth-first traversal of a proof) is *regular* provided no variable is resolved on twice in any branch.

Defn. A *pool* of literals is the set of literals that have been set true at any point during during a depth-first traversal (or, during a DPLL search).

Def'n. A proof (or, DPLL search) is *greedy* provided that no falsified clauses are ignored. That is, the search terminates once the pool has falsified some clause.

Def'n. A proof (or, DPLL search) is *unit-propagating* provided that it does not ignore contradictions that can found by unit propagation after setting the pool literals true.

Pool resolution

[Van Gelder, 2005] introduced *pool resolution* as a system that can simulate DPLL clause learning without restarts. Pool resolution consists of:

- a. A *degenerate resolution* inference rule, where the resolution literal may be missing from either hypothesis. If so, the conclusion is equal to one of the hypotheses.
- b. A dag-like degenerate resolution refutation with a regular depth-first traversal.

The degenerate rule is needed to learn more clauses. The regular depth-first traversal corresponds to the fact that DPLL algorithms do not change the value of literals without backtracking.

Thm [VG'05] Pool resolution p -simulates DPLL clause learning without restarts.

regWRTI

[Buss-Hoffmann-Johannsen '08] gave a system that is equivalent to non-greedy DPLL clause learning without restarts.

w-resolution:
$$\frac{C \quad D}{(C \setminus \{x\}) \cup (D \setminus \{\bar{x}\})} \quad \text{where } \bar{x} \notin C \text{ and } x \notin D.$$

[BHJ] uses *tree-like proofs with lemmas* to simulate dag like proofs. A lemma must be earlier derived in left-to-right order. A lemma is *input* if derived by an input subderivation (allowing lemmas in the subderivation).

Thm [BHJ]. Resolution trees with input lemmas simulates general resolution (i.e., with arbitrary lemmas).

Defn A *regWRTI* derivation is a regular tree-like w-resolution with input lemmas.

Thm [BHJ] *regWRTI* p-simulates DPLL clause learning without restarts. Conversely, non-greedy DPLL clause learning (without restarts) p-simulates *regWRTI*.

The above theorem allows very general schemes of clause learning.

The greedy case still open: No exact formal system is known to be p-equivalent.

However, *regWRTI* is a reasonable conjecture.

Regular resolution and resolution

Fact: DPLL clause learning without restarts (and regWRTI and pool resolution) simulates regular resolution.

Thm [Alekhvitch, Johannsen, Pitassu, Urquhart 2002]
Regular resolution does not p-simulate resolution.

[APJU] gave two examples of separations.

- ▶ Graph tautologies expressing the existence of a minimal element in a linear order, obfuscated by making the axioms more complicated.
- ▶ A *Stone* principle about pebbling dag's.

[Urquhart'11] - an example using obfuscated pebbling principles.

The (non-obfuscated) graph tautologies were originally introduced by [Krishnamurthy '85]. Regular refutations were given by [Stålmarck, '96] and [Bonet-Galesi '99].

Graph tautologies

The (negations of the) *graph tautologies*, GT_n have the following clauses. The intuition is that $x_{i,j}$ means “ $i \prec j$ for some linear order \prec ”. The literal $\bar{x}_{i,j}$ is the *same literal* as $x_{j,i}$.

- ▶ Transitivity: $x_{i,j}, x_{j,k}, x_{k,i}$ — distinct $i, j, k < n$.
- ▶ No minimum: $\bigvee_{j \neq i} x_{j,i}$.

These have polynomial size, *regular* resolution refutations [Stålmarck, Bonet-Galesi],.

We use the term *guarded* graph tautologies (GGT_n) for [AJPU]'s obfuscated graph tautologies. In these, initial clauses $x_{i,j}, x_{j,k}, x_{k,i}$ are replaced by

$$x_{i,j}, x_{j,k}, x_{k,i}, x_{r,s} \quad \text{and} \quad x_{i,j}, x_{j,k}, x_{k,i}, \bar{x}_{r,s}$$

for some $r = r(i, j, k)$ and $s = s(i, j, k)$. (All i, j, k, r, s distinct.)

The non-regular refutation of GGT_n comes from resolving the two above clauses to derive $x_{i,j}, x_{j,k}, x_{k,i}$, for all i, j, k , and then using the (regular) refutation of GT_n .

Theorem [Bonet-Buss] There are polynomial size pool refutations and also regRTI refutations of the GGT_n clauses. Consequently, DPLL clause learning without restarts can show the unsatisfiability of the GGT_n clauses in polynomial time.

Note that w-resolution is not needed, only resolution.

Proof is very detailed and technical.

Proof sketch: Next two slides...

Parts of the following corollary were already shown by [BKS] and Van Gelder using proof trace extensions:

Corollary Regular resolution does not simulate regWRTI, or pool resolution, or DPLL clause learning without restarts.

Proof sketch. Idea is to have a partially defined “bipartite” ordering π on the vertices of the underlying graph. The clause $(\bigvee \bar{\pi})$ contains the negations of the literals set true in π (i.e., states that π does not hold). Initially π is empty.

The refutation is constructed in stages, in left-to-right order. At each stage, the goal is to give a subderivation of a clause $(\bigvee \bar{\pi})$. This is done by considering a regular refutation of $\text{GGT}_n \upharpoonright \pi$, and then weakening to get $(\bigvee \bar{\pi})$, and then replacing GT_n initial clauses with GGT_n clauses as needed.

In some cases, it is possible to further transform the refutation (by introducing extra side literals) so as to keep the partially completed refutation valid.

But in some cases, there is an initial axiom $x_{i,j}, x_{j,k}, x_{k,i}$ which cannot be derived from its GGT_n initial clauses without violating regularity.

In these cases, we instead add a subproof that learns $x_{i,j}, x_{j,k}, x_{k,i}$.

$$\begin{array}{c}
 \frac{x_{i,j}, x_{j,k}, x_{k,i}, x_{r,s} \quad x_{i,j}, x_{j,k}, x_{k,i}, \bar{x}_{r,s}}{x_{i,j}, x_{j,k}, x_{k,i}} \quad (\forall \pi_1) \\
 \frac{\quad}{x_{i,j}, x_{j,k}, C_1} \quad (\forall \pi_2) \\
 \frac{\quad}{x_{i,j}, C_2} \quad (\forall \pi_3) \\
 \frac{\quad}{(\forall \pi)}
 \end{array}$$

- ▶ The regularity condition will hold.
- ▶ Side literals C_1, C_2 can be chosen to make the resolution inferences valid.
- ▶ Each $(\forall \pi_i)$ is a bipartite partial restriction that will be handled in later stages. The omitted parts contain inferences to ensure this.
- ▶ This construction is needed only polynomially many times since there are only polynomially many GT_n initial clauses. \square

Greedy, unit propagating DPLL with clause learning.

The same proof techniques can be extended to give the following improvement:

Theorem [Bonet-Buss] The GGT_n clauses can be proved to be unsatisfiable by a polynomial time, greedy, unit propagating DPLL proof search with clause learning and without restarts.

Proof technique: The essential idea is to follow the variable selection order implicit in the regWRTI proof of the GGT_n proof.

Open Question.

Can this be extended? For instance, is it possible that pool resolution or even $\text{regWRTI } p$ -simulates full resolution? In this case, (non-greedy) DPLL clause learning without restarts will simulate full resolution.

The GGT_n tautologies had been conjectured to separate DPLL clause learning from resolution, but our theorem above disproves this.

The other two candidates are the Stone tautologies, and Urquhart's obfuscated pebbling tautologies. But ...

Recent results

Thm. [Bonet-Buss-Johannsen, in preparation] Urquhart's obfuscated pebbling tautologies have polynomial size regWRTI derivations.

Thm. [Buss-Kolodziejczyk, in progress] The [AJPU] Stone tautologies have polynomial size regWRTI derivations.

Conjecture: regWRTI p-simulates pool resolution.

Possibly: regWRTI p-simulates resolution. If so, DPLL with clause learning and no restarts p-simulates resolution.

Thank you!